



Pollution monitoring data for the GOOGONG sewage treatment plant in accordance with the requirements of the POELA Act 2011 and the POEO Act 1997

Site Name:	Googong Water Recycling Plant (STP)	Site Address:	36A Googong Road
Licencee Name	Queanbeyan-Palerang Regional Council	Address	10 Majara Street, BUNGENDORE NSW 2621
EPA Licence #	20188	Link to licence	Licence

Condition M2 - Requirement to monitor concentration of pollutants discharged (EPA Identification point 6 - Discharge point at Beltana Pond 800 - 4 weekly intervals)

Licence Limit Conditions (sect L3.4)	Pollutant Unit 90% limit 100% limit	Ammonia	Biochemical Oxygen Demand	Faecal Coliforms	Nitrogen	Oil & Grease	pH			Phosphorus	Total Suspended Solids	Free Chlorine	Diss Al	Tot Al
		mg/L	mg/L	cfu/100mL	mg/L	mg/L	pH			mg/L	mg/L	mg/L	mg/L	mg/L
		2	5	100	8	2	N/A			0.3	10	N/A	N/A	N/A
		5	10	200	10	10	Between	6.5	8.5	0.5	15	0.1	N/A	N/A

Comparison Year 2020/21

Current Summary Data	Min to date	0.00		0.00		0.00		2.33		0.00		6.78		0.02		0.00		0.00		0.03	0.03
	Max to date	0.00		0.00		0.00		5.48		0.00		7.58		0.34		3.00		0.04		0.04	0.07
	Average	0.00		0.00		0.00		3.96		0.00		7.16		0.13		0.75		0.01		0.04	0.05

Licence Year	Date				Result	Compliance			Result	Compliance			Result	Compliance			Result	Compliance			Result	Compliance			Result	Compliance			Result	Compliance				
	Sampled	Obtained	Published	90%limit		100% limit	90%limit	100% limit		90%limit	100% limit	90%limit		100% limit	90%limit	100% limit		90%limit	100% limit	90%limit		100% limit	90%limit	100% limit		90%limit	100% limit	90%limit		100% limit	90%limit	100% limit		
2025/26	10/07/2025	18/07/2025	28/07/2025	0.000	PASS	PASS	0.00	PASS	PASS	0.00	PASS	PASS	5.48	PASS	PASS	0.00	PASS	PASS	7.58	N/A	PASS	0.08	PASS	PASS	0.00	PASS	PASS	0.00	N/A	PASS	0.03	0.03		
2025/26	06/08/2025	15/08/2025	02/09/2025	0.000	PASS	PASS	0.00	PASS	PASS	0.00	PASS	PASS	4.42	PASS	PASS	0.00	PASS	PASS	6.78	N/A	PASS	0.06	PASS	PASS	0.00	PASS	PASS	0.00	N/A	PASS	0.04	0.06		
2025/26	02/09/2025	10/09/2025	13/10/2025	0.000	PASS	PASS	0.00	PASS	PASS	0.00	PASS	PASS	3.60	PASS	PASS	0.00	PASS	PASS	7.46	N/A	PASS	0.34	WARNING	PASS	0.00	PASS	PASS	0.00	N/A	PASS	0.04	0.05		
2025/26	30/09/2025	09/10/2025	13/10/2025	0.000	PASS	PASS	0.00	PASS	PASS	0.00	PASS	PASS	2.33	PASS	PASS	0.00	PASS	PASS	6.82	N/A	PASS	0.02	PASS	PASS	3.00	PASS	PASS	0.04	N/A	PASS	0.03	0.07		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	PASS		PASS	PASS		PASS	PASS		N/A	PASS				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS</																				

Recycled water sent to Hill 800

Monthly	Minimum
	Maximum
	Average
	Total
YTD	Minimum
	Maximum
	Average
	Total

Monthly	Minimum
	Maximum
	Average
	Total
YTD	Minimum
	Maximum
	Average
	Total

Inlet Effluent

Monthly	Minimum
	Maximum
	Average
	Total
YTD	Minimum
	Maximum
	Average
	Total

2024/2025 Licence Year											
July	August	September	October	November	December	January	February	March	April	May	June
1263	1300	1488	1270								
1221	1248	1309	1230								
1267	1370	1264	1195								
1253	1470	1262	1186								
1221	1279	1266	1174								
1294	1254	1255	1107								
1362	1267	1343	1285								
1300	1254	1404	1216								
1240	1232	1256	1204								
1221	1334	1243	1164								
1290	1420	1367	1210								
1240	1274	1445	1283								
1277	1227	1342	1394								
1343	1243	1390	1281								
1253	1245	1464	1183								
1217	1236	1292	1207								
1228	1348	1259	1237								
1225	1420	1268									
1236	1268	1265									
1293	1220	1328									
1384	1223	1472									
1262	1200	1520									
1303	1202	1320									
1326	1320	1294									
1296	1428	1287									
1235	1227	1276									
1534	1194	1284									
1579	1328	1313									
1364	1262	1393									
1319	1286	1259									
1285	1420										

1,217	1,194	1,243	1,107	0	0	0	0	0	0	0	0
1,579	1,470	1,520	1,394	0	0	0	0	0	0	0	0
1,295	1,290	1,331	1,225	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
40,131	39,999	39,928	20,826	0	0	0	0	0	0	0	0
1,107											
1,579											
1,293											
140,884											



Pollution monitoring data for the BUNGENDORE sewage treatment plant in accordance with the requirements of the POELA Act 2011 and the POEO Act 1997

Site Name:	Bungendore Sewage Treatment Plant	Site Address:	100 Bungendore Road, BUNGENDORE NSW 2621
Licencee Name	Queanbeyan-Palerang Regional Council	Address	10 Majara Street, BUNGENDORE NSW 2621
EPA Licence #	201	Link to licence	Licence

Condition M2 - Requirement to monitor concentration of pollutants discharged (EPA Identification point 3 - Discharge point to Millpost Creek - 4 weekly intervals)

Licence Limit Conditions (sect L3.4)	Pollutant Unit	Ammonia	Biochemical Oxygen Demand	Faecal Coliforms	Nitrogen	Oil & Grease	pH			Phosphorus	Total Suspended Solids	Diss Al	Tot Al
		mg/L	mg/L	cfu/100mL	mg/L	mg/L	pH			mg/L	mg/L	mg/L	mg/L
	90% limit	2	5	100	8	2	N/A			0.5	10	N/A	N/A
	100% limit	10	10	200	10	10	Between	6.5	8.5	1	15	N/A	N/A

Comparison Year		2024/25																	
Current Summary Data	Min to date	0.00		0.00		0.00		2.46		0.00		7.11		0.00		0.00		0.08	0.25
	Max to date	0.30		2.00		2.00		4.33		0.00		8.40		0.29		6.00		0.29	0.45
	Average	0.16		0.40		0.40		3.33		0.00		7.78		0.11		4.00		0.18	0.38

Licence	Date				Compliance				Compliance				Compliance				Compliance				Compliance				Compliance				
Year	Sampled	Obtained	Published	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit		
2025/26	08/07/2025	17/07/2025	28/07/2025	0.20	PASS	PASS	0.00	PASS	PASS	0.00	PASS	PASS	4.33	PASS	PASS	0.00	PASS	PASS	7.7	N/A	PASS	0.13	PASS	PASS	6.00	PASS	PASS	0.08	0.39
2025/26	17/07/2025	26/07/2025	29/07/2025	0.30	PASS	PASS	0.00	PASS	PASS	0.00	PASS	PASS	2.95	PASS	PASS	0.00	PASS	PASS	7.78	N/A	PASS	0	PASS	PASS	0.00	PASS	PASS	0.11	0.25
2025/26	05/08/2025	11/08/2025	13/08/2025	0.20	PASS	PASS	0.00	PASS	PASS	2.00	PASS	PASS	4.09	PASS	PASS	0.00	PASS	PASS	7.89	N/A	PASS	0.07	PASS	PASS	4.00	PASS	PASS	0.15	0.41
2025/26	02/09/2025	10/09/2025	13/10/2025	0.10	PASS	PASS	0.00	PASS	PASS	0.00	PASS	PASS	2.83	PASS	PASS	0.00	PASS	PASS	7.11	N/A	PASS	0.29	PASS	PASS	5.00	PASS	PASS	0.28	0.45
2025/26	01/10/2025	10/10/2025	13/10/2025	0.00	PASS	PASS	2.00	PASS	PASS	0.00	PASS	PASS	2.46	PASS	PASS	0.00	PASS	PASS	8.4	N/A	PASS	0.08	PASS	PASS	5.00	PASS	PASS	0.29	0.38
2025/26					PASS			PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS		
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS					

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31

Monthly	Minimum
	Maximum
	Average
	Total
YTD	Minimum
	Maximum
	Average
	Total

[illegible][illegible]

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31

Monthly	Minimum
	Maximum
	Average
	Total
YTD	Minimum
	Maximum
	Average
	Total

[illegible]

243	214	501	606	0	0	0	0	0	0	0	0
1,577	1,299	2,490	796	0	0	0	0	0	0	0	0
761	749	950	677	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
23,577	23,228	28,495	2,030	0	0	0	0	0	0	0	0
214											
2,490											
814											
77,330											



Pollution monitoring data for the BRAIDWOOD sewage treatment plant in accordance with the requirements of the POELA Act 2011 and the POEO Act 1997

Site Name:	Braidwood Sewage Treatment Plant	Site Address:	26 Sandholes Road, BRAIDWOOD NSW 2622
Licencee Name	Queanbeyan-Palerang Regional Council	Address	10 Majara Street, BUNGENDORE NSW 2621
EPA Licence #	1733	Link to licence	Licence

Condition M2 - Requirement to monitor concentration of pollutants discharged (EPA Identification point 1 - Discharge point to Flood Creek - 4 weekly intervals)

Licence Limit Conditions (sect L3.4)	Pollutant	Ammonia	Biochemical Oxygen Demand	Faecal Coliforms	Nitrogen	Oil & Grease	pH		Phosphorus	Total Suspended Solids	Conductivity	Diss Al	Tot Al
	Unit	mg/L	mg/L	cfu/100mL	mg/L	mg/L	pH		mg/L	mg/L	siemens	mg/L	mg/L
	90% limit	2	5	100	8	2	N/A		0.5	10		N/A	N/A
	100% limit	5	10	200	10	10	Between 6.5 8.5		1	15		N/A	N/A

Comparison Year		2020/21																									
Current Summary Data	Min to date	0.30			0.00			0.00			2.77			0.00			6.62			0.00				371	0.05	0.08	
	Max to date	0.50			2.00			14.00			7.31			0.00			7.37			0.47			11.00		646	0.07	2.10
	Average	0.42			0.40			6.00			4.13			0.00			7.05			0.20			3.80		466.2	0.06	0.52

Licence Year	Date			Compliance			Compliance			Compliance			Compliance			Compliance			Compliance			Compliance			Compliance			Compliance			Compliance		
	Sampled	Obtained	Published	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit
2025/26	11/07/2025	21/07/2025	29/07/2025	0.50	PASS	PASS	0.00	PASS	PASS	6.00	PASS	PASS	7.31	PASS	PASS	0.00	PASS	PASS	7.37	N/A	PASS	0.24	PASS	PASS	4.00	PASS	PASS	427	0.05	0.18			
2025/26	17/07/2025	26/07/2025	29/07/2025	0.50	PASS	PASS	0.00	PASS	PASS	4.00	PASS	PASS	4.15	PASS	PASS	0.00	PASS	PASS	7.03	N/A	PASS	0	PASS	PASS	11.00	WARNING	PASS	470	0.07	2.10			
2025/26	05/08/2025	11/08/2025	13/08/2025	0.30	PASS	PASS	0.00	PASS	PASS	14.00	PASS	PASS	2.90	PASS	PASS	0.00	PASS	PASS	6.89	N/A	PASS	0.09	PASS	PASS	0.00	PASS	PASS	371	0.07	0.14			
2025/26	02/09/2025	10/09/2025	13/10/2025	0.40	PASS	PASS	2.00	PASS	PASS	2.00	PASS	PASS	2.77	PASS	PASS	0.00	PASS	PASS	6.62	N/A	PASS	0.47	PASS	PASS	0.00	PASS	PASS	417	0.06	0.08			
2025/26	01/10/2025	10/10/2025	13/10/2025	0.40	PASS	PASS	0.00	PASS	PASS	8.00	PASS	PASS	3.51	PASS	PASS	0.00	PASS	PASS	7.32	N/A	PASS	0.22	PASS	PASS	4.00	PASS	PASS	646	0.07	0.10			
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS						
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS						
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS						
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS						
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS						
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS						
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS						
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS						
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS						
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A	FAIL		PASS	PASS		PASS	PASS						
90th percentile assessment				0.5			1.2			11.6			6.046			0						0.378			8.2								

Condition M2 - Requirement to monitor concentration of pollutants discharged (EPA Identification point 3 -Downstream at Boppings Crossing - Special intervals

		Ammonia	Biochemical Oxygen Demand	Faecal Coliforms	Nitrogen	Oil & Grease	Phosphorus	Total Suspended Solids	pH	Conductivity	Diss Al	Tot Al
Current Summary Data	Min to date	0.00	0.00	40.00	1.06	0.00	0.00	3.00	7.44	203	0.05	0.06
	Max to date	0.00	3.00	840.00	2.43	0.00	0.20	26.00	7.94	352	1.64	1.27
	Average	0.00	0.60	286.40	1.77	0.00	0.09	11.20	7.66	298	0.516	0.446

[illegible]

Condition M2 - Requirement to monitor concentration of pollutants discharged (EPA Identification point 4 -Upstream at Archer Bridge - Special intervals

		Ammonia	Biochemical Oxygen Demand	Faecal Coliforms	Nitrogen	Oil & Grease	Phosphorus	Total Suspended Solids	pH	Conductivity	Aluminium (dissolved)	Aluminium (total)
Current Summary Data	Min to date	0.00	0.00	90.00	1.12	0.00	0.00	0.00	7.42	190	0.04	0.09
	Max to date	0.00	3.00	540.00	2.85	0.00	0.20	26.00	8.02	331	1.95	1.32
	Average	0.00	0.60	298.80	2.10	0.00	0.08	9.40	7.79	277.6	0.606	0.474

Licence Year	Date			Result	Result	Result	Result	Result	Result	Result	Result	Result	Result
	Sampled	Obtained	Published										



Pollution monitoring data for the CAPTAINS FLAT sewage treatment plant in accordance with the requirements of the POELA Act 2011 and the POEO Act 1997

Site Name:	Captains Flat Sewage Treatment Plant	Site Address:	1 Miners Road CAPTAINS FLAT NSW 2623
Licence Name	Queanbeyan-Palerang Regional Council	Address	10 Majara Street, BUNGENDORE NSW 2621
EPA Licence #	1929	Link to licence	Licence

Condition M2 - Requirement to monitor concentration of pollutants discharged (EPA Identification point 1 - Effluent Distribution Pit - 4 weekly intervals)

Licence Limit Conditions (sect L3.4)	Pollutant	Ammonia	Biochemical Oxygen Demand	Faecal Coliforms	Nitrogen	Oil & Grease	pH			Phosphorus	Total Suspended Solids	Diss Al	Tot Al
	Unit	mg/L	mg/L	cfu/100mL	mg/L	mg/L	pH			mg/L	mg/L	mg/L	mg/L
	2	10	100	8	2	N/A			0.5	10	N/A	N/A	
	5	20	200	10	10	Between	6.5	8.5	1	15	N/A	N/A	

Comparison Year 2020/21

Current Summary Data	Min to date	0.00	0.00	2.00	0.43	0.00	6.28	0.12	8.00	0.06	0.41
	Max to date	4.00	6.00	254.00	6.73	0.00	7.53	0.82	25.00	0.10	0.94
	Average	1.37	2.67	49.67	4.12	0.00	7.06	0.43	14.67	0.08	0.61

Licence	Date			Compliance			Compliance			Compliance			Compliance			Compliance			Compliance			Compliance											
Year	Sampled	Obtained	Published	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit	Result	90%limit	100% limit						
2025/26	08/07/2025	17/07/2025	28/07/2025	0.00	PASS	PASS	0.00	PASS	PASS	12.00	PASS	PASS	6.73	PASS	PASS	0.00	PASS	PASS	7.14	N/A	PASS	0.37	PASS	PASS	14.00	WARNING	PASS	0.10	0.56				
2025/26	17/07/2025	26/07/2025	29/07/2025	0.20	PASS	PASS	0.00	PASS	PASS	2.00	PASS	PASS	3.73	PASS	PASS	0.00	PASS	PASS	7.27	N/A	PASS	0.12	PASS	PASS	8.00	PASS	PASS	0.06	0.41				
2025/26	05/08/2025	11/08/2025	13/08/2025	1.60	PASS	PASS	3.00	PASS	PASS	16.00	PASS	PASS	5.94	PASS	PASS	0.00	PASS	PASS	6.77	N/A	PASS	0.36	PASS	PASS	13.00	WARNING	PASS	0.08	0.53				
2025/26	02/09/2025	10/09/2025	13/10/2025	1.50	PASS	PASS	4.00	PASS	PASS	10.00	PASS	PASS	2.82	PASS	PASS	0.00	PASS	PASS	7.37	N/A	PASS	0.53	WARNING	PASS	16.00	WARNING	FAIL	0.09	0.65				
2025/26	01/10/2025	10/10/2025	13/10/2025	4.00	WARNING	PASS	6.00	PASS	PASS	4.00	PASS	PASS	0.43	PASS	PASS	0.00	PASS	PASS	7.53	N/A	PASS	0.82	WARNING	PASS	25.00	WARNING	FAIL	0.09	0.94				
2025/26	13/10/2025	21/10/2025	22/10/2025	0.90	PASS	PASS	3.00	PASS	PASS	254.00	WARNING	FAIL	5.04	PASS	PASS	0.00	PASS	PASS	6.28	N/A	FAIL	0.36	PASS	PASS	12.00	WARNING	PASS	0.08	0.59				
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A			PASS	PASS		PASS	PASS						
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A			PASS	PASS		PASS	PASS						
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A			PASS	PASS		PASS	PASS						
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A			PASS	PASS		PASS	PASS						
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A			PASS	PASS		PASS	PASS						
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A			PASS	PASS		PASS	PASS						
2025/26					PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		PASS	PASS		N/A			PASS	PASS		PASS	PASS						
90th percentile assessment				2.8				5				135				6.335				0				0.675				20.5				0.095	0.79

Condition M2 - Requirement to monitor concentration of pollutants discharged (EPA Identification point 2 - Upstream at Rear of Number 2 Foxlow Street)

		Ammonia	Biochemical Oxygen Demand	Faecal Coliforms	Nitrogen	Oil & Grease	Phosphorus	Total Suspended Solids	pH	Diss Al	Tot Al
Current Summary Data	Min to date	0.00	0.00	0.00	0.29	0.00	0.00	5.00	6.95	0.17	0.2
	Max to date	0.00	0.00	46.00	0.58	0.00	0.04	14.00	7.70	0.71	0.56
	Average	0.00	0.00	19.20	0.40	0.00	0.03	7.20	7.30	0.39	0.39

[illegible]

Condition M2 - Requirement to monitor concentration of pollutants discharged (EPA Identification point 3 - Downstream at Molonglo River Bridge MR270)

		Ammonia	Biochemical Oxygen Demand	Faecal Coliforms	Nitrogen	Oil & Grease	Phosphorus	Total Suspended Solids	pH	Diss Al	Tot Al
Current Summary Data	Min to date	0.00	0.00	0.00	0.25	0.00	0.00	6.00	6.89	0.13	0.39
	Max to date	0.00	0.00	134.00	0.58	0.00	0.04	12.00	7.20	0.72	0.58
	Average	0.00	0.00	38.80	0.42	0.00	0.02	8.20	7.05	0.39	0.48

Licence Year	Date			Result	Result	Result	Result	Result	Result	Result	Result	Result	Result
	Sampled	Obtained	Published										
2025/26	08/07/2025	17/07/2025	28/07/2025	0.00	0.00	134.00	0.58	0.00	0.04	12.00	7.03	0.40	0.58

